

SAFETY DATA SHEET

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issue Date 08-Mar-2018

Revision Date 08-Mar-2018

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name IJ4500 Light Cyan

Contains Morpholine, 4-(1-oxo-2-propenyl)-, 6-Quinolinamine, Proprietary Acrylic Ester Derivative, phenylbis(2,4,6-trimethylbenzoyl)-phosphine oxide, Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide, Urethane Acrylate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Digital Printing

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer NUTEC DIGITAL INK (PTY) LTD. 1 CLIFFORD STREET OTTERY, 7800 SOUTH AFRICA
For further information, please contact

Contact Point Regulatory Department

1.4. Emergency telephone number

Emergency Telephone During normal opening times: +27 21 763 6990
24 Hours: +27 83 326 0774

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 - (H302)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1A - (H317)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Chronic aquatic toxicity	Category 3 - (H412)

Classification according to Directive 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

Hazard symbols

Xn - Harmful

N - Dangerous for the environment

R-code(s)

Xn;R48/22 - Xi;R36/37/38 - Xi;R41 - R43 - N;R51/53

2.2. Label elements

Product identifier

Contains Morpholine, 4-(1-oxo-2-propenyl)-, 6-Quinolinamine, Proprietary Acrylic Ester Derivative, phenylbis(2,4,6-trimethylbenzoyl)-phosphine oxide, Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide, Urethane Acrylate

**Signal word**

Danger

Hazard statements

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Contains 2-phenoxyethyl acrylate, Oxybis(methyl-2,1-ethanediyl diacrylate, Propoxylated neopentyl glycol, 1,6-Hexanediol diacrylate EUH208 - May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P280 - Wear eye protection/ face protection

P314 - Get medical advice/attention if you feel unwell

P501 - Dispose of contents/container to industrial incineration plant

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

2.3. Other hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	EC No	CAS No	Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Proprietary Acrylic Ester Derivative	227-561-6	5888-33-5	<60	Xi; R36/37/38. N; R51/53.	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available
Morpholine, 4-(1-oxo-2-propenyl)-	418-140-1	5117-12-4	<20	Xn; R22-48/22 Xi; R41 R43	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 2 (H373)	No data available
6-Quinolinamine	219-606-3	2478-10-6	<15	Xn	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	No data available
Multifunctional Amine Acrylate	-	67906-98-3	<10	Xi; R36/38	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	No data available

phenylbis(2,4,6-trimethylbenzoyl)-phosphine oxide	423-340-5	162881-26-7	<10	R43 R53	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413)	No data available
Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	278-355-8	75980-60-8	<5	Repr.Cat.3; R62 R43 N;51/53	Skin Sens. 1 (H317) Repr. 2 (H361) Aquatic Chronic 2 (H411)	No data available
Urethane Acrylate	289-200-9	86178-38-3	<5	Xi;R36/38	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	No data available
2-hydroxy-2-methylpropiophenone	-	007473-98-5	<5	Xi; R36/37/38	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	No data available
Propoxylated neopentyl glycol	-	84170-74-1	<10	Xi; R36/37/38	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335)	No data available
Oxybis(methyl-2,1-ethanediyl diacrylate	260-754-3	57472-68-1	<10	Xi;R41,38 R43	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)	No data available
1,6-Hexanediol diacrylate	235-921-9	13048-33-4	<10	Xi; R36/38 R43	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 3 (H412)	No data available

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

Inhalation

Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Call a physician. Artificial respiration and/or oxygen may be necessary. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.

Skin contact

Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Immediate medical attention is not required.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Ingestion

Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician. Rinse mouth. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider

Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed**Symptoms**

No information available.

4.3. Indication of any immediate medical attention and special treatment needed**Note to physicians**

May cause sensitization in susceptible persons. Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media**Suitable extinguishing media**

Dike fire-control water for later disposal. Dry chemical, CO₂, water spray or regular foam. Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams

5.2. Special hazards arising from the substance or mixture

Some may be transported hot Some may burn but none ignite readily Those substances designated with a "P" may polymerize explosively when heated or involved in a fire In the event of fire and/or explosion do not breathe fumes May cause sensitization in susceptible persons Thermal decomposition can lead to release of irritating and toxic gases and vapors

5.3. Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures**Personal precautions**

Do not touch or walk through spilled material. Stop leak if you can do it without risk. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See section 12 for additional ecological information.

6.3. Methods and material for containment and cleaning up**Methods for containment**

Prevent dust cloud.

Methods for cleaning up

Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp

to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water. Take precautionary measures against static discharges.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Use with local exhaust ventilation.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

Incompatible materials

Strong oxidizing agents. Strong acids. Chlorinated compounds.

7.3. Specific end use(s)

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Tight sealing safety goggles. Face protection shield.

Skin and body protection

Suitable protective clothing. Suitable protective clothing. Apron. Gloves made of plastic or rubber.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Odor	Characteristic
Appearance	Liquid	Odor threshold	No information available
Color	Light Cyan		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH		No information available	
Melting point / freezing point			
Boiling point / boiling range	> 100 °C / °F		
Flash point	100 °C / °F		
Evaporation rate		No information available	
Flammability (solid, gas)		No information available	
Flammability Limit in Air			
Upper flammability limit:		No information available	
Lower flammability limit:		No information available	
Vapor pressure		No information available	
Vapor density		No information available	
Relative density			
Water solubility	Immiscible in water		
Solubility(ies)		No information available	
Partition coefficient			
Autoignition temperature			
Decomposition temperature		No information available	
Kinematic viscosity		No information available	
Dynamic viscosity		No information available	
Explosive properties	Not an explosive		
Oxidizing properties	Not applicable		
<u>9.2. Other information</u>			
Softening point	No information available		
Molecular weight	No information available		
VOC Content (%)	No information available		
Density	No information available		
Bulk density	No information available		

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Chlorinated compounds.

10.6. Hazardous decomposition products

Carbon oxides.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,639.00 mg/kg

Unknown acute toxicity

- 94.124 % of the mixture consists of ingredient(s) of unknown toxicity.
- 12.174 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
- 23.274 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 94.124 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 94.124 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
- 91.224 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary Acrylic Ester Derivative	= 4890 mg/kg (Rat)	> 5 g/kg (Rabbit)	
6-Quinolinamine	871	>2.000mg/kg	
Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	>5000 mg/kg	>2000 mg/kg	
Oxybis(methyl-2,1-ethanediyl diacrylate	= 4600 mg/kg (Rat)	> 2 g/kg (Rabbit)	
1,6-Hexanediol diacrylate	= 5 g/kg (Rat)	= 3600 µL/kg (Rabbit)	

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	Product is or contains a chemical which is a known or suspected reproductive hazard.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Unknown aquatic toxicity 37.21579999 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment
37.21579999 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Proprietary Acrylic Ester Derivative	72 hours: 4.2 mg/l, Algae	-	-

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Improper disposal or reuse of this container may be dangerous and illegal.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG

14.1 UN/ID no	UN3082
14.2 Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
14.3 Hazard Class	9
14.4 Packing Group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Isobornyl acrylate monomer, diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide), 9, III
14.5 Marine pollutant	Not applicable
Environmental hazard	Yes
14.6 Special Provisions	274, 335
EmS-No	F-A, S-F
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1 UN/ID no	UN3082
14.2 Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
14.3 Hazard Class	9
14.4 Packing Group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Isobornyl acrylate monomer, diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide), Environmentally Hazardous, 9, III
14.5 Environmental hazard	Yes
14.6 Special Provisions	None
Classification code	M6

ADR

14.1 UN/ID no	UN3082
14.2 Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
14.3 Hazard Class	9
Labels	9
14.4 Packing Group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Isobornyl acrylate monomer, diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide), Environmentally Hazardous, 9, III, (E)
14.5 Environmental hazard	Yes
14.6 Special Provisions	274, 335, 601, 375
Classification code	M6
Tunnel restriction code	(E)

IATA

14.1 UN/ID no	UN3082
14.2 Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
14.3 Hazard Class	9
14.4 Packing Group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Isobornyl acrylate monomer, diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide), 9, III
14.5 Environmental hazard	Yes
14.6 Special Provisions	A97, A158, A197
ERG Code	9L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

France

Occupational Illnesses (R-463-3, France)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories

All of the components in the product are on the following Inventory lists No information available.

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

R43 - May cause sensitization by skin contact
 R41 - Risk of serious damage to eyes
 R22 - Harmful if swallowed
 R53 - May cause long-term adverse effects in the aquatic environment
 R62 - Possible risk of impaired fertility
 R11 - Highly flammable
 R67 - Vapors may cause drowsiness and dizziness
 R63 - Possible risk of harm to the unborn child
 R38 - Irritating to skin
 R65 - Harmful: may cause lung damage if swallowed
 R36/37/38 - Irritating to eyes, respiratory system and skin
 R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
 R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed
 R36/38 - Irritating to eyes and skin
 R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation
 H319 - Causes serious eye irritation
 H335 - May cause respiratory irritation
 H361d - Suspected of damaging the unborn child
 H336 - May cause drowsiness or dizziness
 H373 - May cause damage to organs through prolonged or repeated exposure if inhaled
 H304 - May be fatal if swallowed and enters airways
 H225 - Highly flammable liquid and vapor
 H317 - May cause an allergic skin reaction
 H412 - Harmful to aquatic life with long lasting effects
 H413 - May cause long lasting harmful effects to aquatic life
 H302 - Harmful if swallowed
 H318 - Causes serious eye damage
 H411 - Toxic to aquatic life with long lasting effects
 H400 - Very toxic to aquatic life
 H410 - Very toxic to aquatic life with long lasting effects
 H361 - Suspected of damaging fertility or the unborn child if inhaled

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Issue Date 08-Mar-2018

Revision Date 08-Mar-2018

Revision Note Not applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

End of Safety Data Sheet