

SAFETY DATA SHEET

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issue Date 10-Jun-2015

Revision Date 10-Jun-2015

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name IJ3800 - Flushing Fluid

Contains Butoxyethyl acetate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Digital Printing

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Reseller Signs International Distributor Corp 8461 NW 61st St | Miami, FL 33166
For further information, please contact

Contact Point Regulatory Department

1.4. Emergency telephone number

Emergency Telephone During normal opening times: +27 21 763 6990
24 Hours: +27 83 326 0774

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Dermal	Category 4 - (H312)
Acute toxicity - Inhalation (Vapors)	Category 4 - (H332)

Classification according to Directive 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

Hazard symbols

Xn - Harmful

R-code(s)

Xn;R20/21

2.2. Label elements

Product identifier

Contains Butoxyethyl acetate



Signal word

Warning

Hazard statements

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P322- Specific measures (see on this label)

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

2.3. Other hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	EC No	CAS No	Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Butoxyethyl acetate	203-933-3	112-07-2	>50	Xn; R20/21	Acute Tox. 4 (H312) Acute Tox. 4 (H332)	No data available
Propylene glycol monomethyl ether acetate	203-603-9	108-65-6	>10	R10	Flam. Liq. 3 (H226)	No data available
Cyclohexanone	203-631-1	108-94-1	>10	R10 Xn; R20	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Flam. Liq. 3 (H226)	No data available

Full text of R-phrases: see section 16Full text of H- and EUH-phrases: see section 16**Section 4: FIRST AID MEASURES****4.1. Description of first aid measures****General advice**

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

Inhalation

Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.

Skin contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is not required. If skin irritation persists, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO₂). Water spray (fog). Alcohol resistant foam.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Keep product and empty container away from heat and sources of ignition Risk of ignition

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take precautionary measures against static discharges.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE**7.1. Precautions for safe handling****Advice on safe handling**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible materials

None known based on information supplied.

7.3. Specific end use(s)**Risk Management Methods (RMM)**

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Butoxyethyl acetate 112-07-2	TWA 20 ppm TWA 133 mg/m ³ STEL 50 ppm STEL 333 mg/m ³ *	TWA: 20 ppm TWA: 133 mg/m ³ STEL: 50 ppm STEL: 332 mg/m ³ Sk*	TWA: 10 ppm TWA: 133 mg/m ³ STEL: 50 ppm STEL: 333 mg/m ³ *	TWA: 20 ppm TWA: 133 mg/m ³ STEL: 50 ppm STEL: 333 mg/m ³ vía dérmica*	TWA: 20 ppm TWA: 130 mg/m ³ H*
Propylene glycol monomethyl ether acetate 108-65-6	TWA 50 ppm TWA 275 mg/m ³ STEL 100 ppm STEL 550 mg/m ³ *	TWA: 50 ppm TWA: 274 mg/m ³ STEL: 100 ppm STEL: 548 mg/m ³ Sk*	TWA: 50 ppm TWA: 275 mg/m ³ STEL: 100 ppm STEL: 550 mg/m ³ *	TWA: 50 ppm TWA: 275 mg/m ³ STEL: 100 ppm STEL: 550 mg/m ³ vía dérmica*	TWA: 50 ppm TWA: 270 mg/m ³
Cyclohexanone 108-94-1	TWA 10 ppm TWA 40.8 mg/m ³ STEL 20 ppm STEL 81.6 mg/m ³ *	TWA: 10 ppm TWA: 41 mg/m ³ STEL: 20 ppm STEL: 82 mg/m ³ Sk*	TWA: 10 ppm TWA: 40.8 mg/m ³ STEL: 20 ppm STEL: 81.6 mg/m ³	TWA: 10 ppm TWA: 41 mg/m ³ STEL: 20 ppm STEL: 82 mg/m ³ vía dérmica*	TWA: 20 ppm TWA: 80 mg/m ³ H*
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Butoxyethyl acetate 112-07-2	TWA: 20 ppm TWA: 133 mg/m ³ STEL: 50 ppm STEL: 333 mg/m ³ pelle*	TWA: 20 ppm TWA: 133 mg/m ³ STEL: 50 ppm STEL: 333 mg/m ³ P*	TWA: 135 mg/m ³ STEL: 333 mg/m ³ H*	TWA: 20 ppm TWA: 130 mg/m ³ STEL: 50 ppm STEL: 330 mg/m ³ iho*	TWA: 20 ppm TWA: 134 mg/m ³ H*
Propylene glycol	TWA: 50 ppm	TWA: 50 ppm	TWA: 550 mg/m ³	TWA: 50 ppm	TWA: 50 ppm

monomethyl ether acetate 108-65-6	TWA: 275 mg/m ³ STEL: 100 ppm STEL: 550 mg/m ³ pelle*	TWA: 275 mg/m ³ STEL: 100 ppm STEL: 550 mg/m ³ P*		TWA: 270 mg/m ³ STEL: 100 ppm STEL: 550 mg/m ³ iho*	TWA: 275 mg/m ³ H*
Cyclohexanone 108-94-1	TWA: 10 ppm TWA: 40.8 mg/m ³ STEL: 20 ppm STEL: 81.6 mg/m ³ pelle*	TWA: 10 ppm TWA: 40.8 mg/m ³ STEL: 20 ppm STEL: 81.6 mg/m ³ P*	STEL: 50 mg/m ³ H*	TWA: 10 ppm TWA: 41 mg/m ³ STEL: 20 ppm STEL: 82 mg/m ³ iho*	TWA: 10 ppm TWA: 41 mg/m ³ H*
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Butoxyethyl acetate 112-07-2	TWA: 20 ppm TWA: 133 mg/m ³ STEL 40 ppm STEL 270 mg/m ³ H*	TWA: 10 ppm TWA: 66 mg/m ³ STEL 20 ppm STEL: 132 mg/m ³ H*	STEL: 300 mg/m ³ TWA: 100 mg/m ³	TWA: 10 ppm TWA: 65 mg/m ³ STEL: 20 ppm STEL: 97.5 mg/m ³ H*	TWA: 20 ppm TWA: 133 mg/m ³ STEL: 50 ppm STEL: 333 mg/m ³ Sk*
Propylene glycol monomethyl ether acetate 108-65-6	TWA: 50 ppm TWA: 275 mg/m ³ STEL 100 ppm STEL 550 mg/m ³ H*	TWA: 50 ppm TWA: 275 mg/m ³ STEL: 50 ppm STEL: 275 mg/m ³	STEL: 520 mg/m ³ TWA: 260 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 75 ppm STEL: 337.5 mg/m ³ H*	TWA: 50 ppm TWA: 275 mg/m ³ STEL: 100 ppm STEL: 550 mg/m ³ Sk*
Cyclohexanone 108-94-1	TWA: 5 ppm TWA: 20 mg/m ³ STEL 20 ppm STEL 80 mg/m ³ H*	TWA: 25 ppm TWA: 100 mg/m ³ STEL: 50 ppm STEL: 200 mg/m ³ H*	STEL: 80 mg/m ³ TWA: 40 mg/m ³	TWA: 20 ppm TWA: 80 mg/m ³ STEL: 30 ppm STEL: 120 mg/m ³ H*	TWA: 10 ppm TWA: 40.8 mg/m ³ STEL: 20 ppm STEL: 81.6 mg/m ³ Sk*

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Butoxyethyl acetate 112-07-2	-	-	-	-	100 mg/L 200 mg/L
Cyclohexanone 108-94-1	-	2	-	80 8	-
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Butoxyethyl acetate 112-07-2	-	100 200	-	-	-
Cyclohexanone 108-94-1	-	100 12	-	-	-

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eyeface protection

Tight sealing safety goggles.

Skin and body protection

Suitable protective clothing. Wear chemical resistant clothing such as gloves, apron, boots or whole bodysuits made from neoprene, as appropriate. Antistatic footwear. Gloves made of plastic or rubber.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Odor	Characteristic
Appearance	Liquid	Odor threshold	No information available
Color	clear		
Property	Values	Remarks • Method	
pH		No information available	
Melting point / freezing point		No information available	
Boiling point / boiling range	142 °C / 288 °F		
Flash point	69 °C / 156 °F		

Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Water solubility	partially soluble
Solubility(ies)	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

9.2. Other information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

10.3. Possibility of hazardous reactions**Possibility of Hazardous Reactions**

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects**Acute toxicity**

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	13,074.00 mg/kg
ATEmix (dermal)	1,749.00 mg/kg ppm
ATEmix (inhalation-dust/mist)	13.20 mg/l
ATEmix (inhalation-vapor)	12.41 mg/l

Unknown acute toxicity

22% of the mixture consists of ingredient(s) of unknown toxicity.

2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

22 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

12 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

12 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Butoxyethyl acetate	= 2400mg/kg (Rat)	= 1500 mg/kg (Rabbit)	
Propylene glycol monomethyl ether acetate	= 8532 mg/kg (Rat)	> 5 g/kg (Rabbit)	
Cyclohexanone	= 1544 mg/kg (Rat)	= 3160 mg/kg (Rabbit)	= 8000 ppm (Rat) 4 h

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target Organ Effects blood, Central nervous system, Eyes, Hematopoietic System, kidney, liver, Respiratory system, Skin.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Unknown Aquatic Toxicity 2 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

2 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Propylene glycol monomethyl ether acetate	-	-	500: 48 h Daphnia magna mg/L EC50
Cyclohexanone	20: 96 h Chlorella vulgaris mg/L EC50	8.9: 96 h Pimephales promelas mg/L LC50 481 - 578: 96 h	800: 24 h Daphnia magna mg/L EC50

		Pimephales promelas mg/L LC50 flow-through	
--	--	---	--

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	Partition coefficient
Butoxyethyl acetate	1.51
Propylene glycol monomethyl ether acetate	0.43
Cyclohexanone	0.86

12.4. Mobility in soil**Mobility in soil**

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods**Waste from residues/unused products**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Improper disposal or reuse of this container may be dangerous and illegal.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine pollutant	Not applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated

14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

ADR

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

IATA

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
Butoxyethyl acetate 112-07-2	RG 84	-
Propylene glycol monomethyl ether acetate 108-65-6	RG 84	-
Cyclohexanone 108-94-1	RG 84	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

R10 - Flammable
R20 - Harmful by inhalation
R20/21 - Harmful by inhalation and in contact with skin

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapor
H302 - Harmful if swallowed
H312 - Harmful in contact with skin
H332 - Harmful if inhaled
H315 - Causes skin irritation
H318 - Causes serious eye damage

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Issue Date 10-Jun-2015

Revision Date 10-Jun-2015

Revision Note Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

End of Safety Data Sheet